

# TMH16

series



## Product Segments

- **Care Motion**


## General Features

Connected actuators	1~5
Maximum available buttons	12
Color	White, grey
IP rating	Up to IP66W
Option	Back light, safety key, hook
Compatible with patient hoist system	

# TMH16 Series


## Drawing

Standard Dimensions  
(mm)



<b>MCU</b>	0 = Without			
<b>Control Box Type</b>	0 = Without MCU control box		1 = With MCU control box	
<b>PCBA</b>	1 = General	2 = Power saving function		
<b>Button Definition</b>	See appendix* Note: please contact TiMOTION before making an order			
<b>Backlight</b>	0 = Without	1 = With		
<b>Safety Key</b>	0 = Without	1 = With		
<b>Plug</b>	4 = DIN 8P	5 = RJ 10P		
<b>Plug Angle</b>	1 = 90°	2 = 180°		
<b>Cable Length (mm)</b>	1-6 = 1-6 <a href="#">See page 4</a>			
<b>Color</b>	2 = Grey (Pantone 428C)	3 = White (White S)		
<b>Hook Type</b>	1 = Standard	4 = Magnetic hook		
<b>IP Rating</b>	1 = Without	2 = IP66	3 = IP66	4 = IP66W

## Cable Length



### Cable Section (mm)

CODE	A	B	C
1	1000	300	200
2	1200	300	300
3	1400	300	400
4	2400	0	0
5	100	600	100
6	1000	200	200

## Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.